



# A New-fangled Classification Algorithm for Medical Heart Diseases Analysis using Wavelet Transforms

Soumya Ranjan Nayak<sup>1</sup>, Sivakumar Selvarasu<sup>2</sup>, B Sripathy<sup>3</sup>, Prabhishek Singh<sup>4</sup>, Manoj Diwakar<sup>5,6</sup>, Indrajeet Gupta<sup>7</sup>, Vinayakumar Ravi<sup>8,\*</sup> and Alanoud Al Mazroa<sup>9</sup>

<sup>1</sup>School of Computer Engineering, KIIT Deemed to be University, Bhubaneswar, Odisha-751024, India

<sup>2</sup>Department of Computer Applications, Faculty of Science and Humanities, SRM Institute of Science and Technology, Kattankulathur, Chennai-603203, India

<sup>3</sup>Department of Mathematics, School of Advanced Sciences, Vellore Institute of Technology (VIT), Vellore-632 014, India

<sup>4</sup>School of Computer Science Engineering & Technology, Bennett University, Greater Noida, India

<sup>5</sup>CSE Department, Graphic Era deemed to be University, Dehradun, Uttarakhand, India

<sup>6</sup>Graphic Era Hill University, Dehradun, Uttarakhand India

<sup>7</sup>School of Computer Science & AI, SR University, Warangal - 506371, Telangana, India

<sup>8</sup>Center for Artificial Intelligence, Prince Mohammad Bin Fahd University, Khobar, Saudi Arabia

<sup>9</sup>Department of Information Systems, College of Computer and Information Sciences, Princess Nourah bint Abdulrahman University (PNU), P.O. Box 84428, Riyadh 11671, Saudi Arabia

## Abstract:

**Background:** In this article, the Mixed Mode Database Miner (MMDBM) algorithm is introduced for the classification of data. This algorithm depends on the decision tree classifier, which handles the numerical and categorical attributes. For the experimental analysis in a well-explored heart disease data set collected from the UCI Repository.

**Aims:** Understanding the fundamentals of every classification method and how to apply them to CUDA is the aim of this study. After reviewing the literature, the approach that is most suited is selected for implementing the suggested algorithm in the MMDM classifier along with the discrete wavelet decomposition. From this experimental analysis, we observed that the use of the wavelet technique in the MMDBM algorithm provides better and more accurate results for data classification.

**Objective:** The main objective of the manuscript is to identify the early stage of heart attack that was caused either by smoking, smoking with tobacco, or non-smoking. Additionally, this study aims to check the validity of the MMDM classifier along with the discrete wavelet decomposition. From this experimental analysis, we observed that the use of the wavelet technique in the MMDBM algorithm provides better and more accurate results for data classification.

**Methods:** In the modern digital world today, data has a major impact on everyone's life. Every database contains a lot of information hidden either in the form of numerical data, characteristic data, or a mixture of both. Moreover, to accurately decode every dataset, a fast and efficient classifier is essential. Moreover, by using this hybrid technique based on both MMDBM and Wavelet processes, it compresses the data with minimum storage capacity.

**Results:** The experimental results are compared with the classified data to wavelet data output. These results prove that our presented technique is more prominent and robust in an analysis of heart diseases.

**Conclusion:** This algorithm is based on a decision tree classifier and tested on a heart disease database. MMDBM is applied to classify a large data set of numerical and categorical attributes. The data are compressed with the help of a one-dimensional wavelet transform. This is one of the new approaches applied to classified data in real-time applications.

**Keywords:** Healthcare, Big data, Data mining, Classification Algorithms, Haar wavelets, Tobacco.

© 2024 The Author(s). Published by Bentham Open.

This is an open access article distributed under the terms of the Creative Commons Attribution 4.0 International Public License (CC-BY 4.0), a copy of which is available at: <https://creativecommons.org/licenses/by/4.0/legalcode>. This license permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.



Received: July 25, 2024  
Revised: September 18, 2024  
Accepted: September 30, 2024  
Published: ?? ??, 2024

\*Address correspondence to this author at the Center for Artificial Intelligence, Prince Mohammad Bin Fahd University, Khobar, Saudi Arabia; E-mail: [vinayakumarr77@gmail.com](mailto:vinayakumarr77@gmail.com)

Cite as: Nayak S, Selvarasu S, Sripathy B, Singh P, Diwakar M, Gupta I, Ravi V, Al Mazroa A. A New-fangled Classification Algorithm for Medical Heart Diseases Analysis using Wavelet Transforms. Open Public Health J, 2024; 17: e18749445343675. <http://dx.doi.org/10.2174/0118749445343675241022102900>



Send Orders for Reprints to  
[reprints@benthamscience.net](mailto:reprints@benthamscience.net)

## 1. INTRODUCTION

Data mining is a process of searching for the correct information from a large amount of data set. There are many techniques available in the research, such as Artificial Neural Networks [1], Genetic algorithms [2], Association rules, and Clustering [3]. Classification of the data has been considered one of the important techniques in data mining [4, 5]. Several different approaches are made to construct accurate classifiers, *e.g.*, Bayesian classifier [6, 7], Decision tree [8, 9, 10], Support Vector Machine (SVMs) [11, 12, 13, 14] and associative classifiers [15]. In the classification of data, the training data set is given as input data. The input data consists of two attributes: numerical attribute and categorical attribute or alpha-numeric attribute. For example, Cp represents the Chest Pain type of a patient, Fbs represents the Fasting blood sugar of a person that falls under the category of a numerical attribute, Furthermore, the categorical attribute has values from an unordered domain, such as whether the person is illiterate or literate, male or female, and so on [3, 16, 17]. Classification is the method of splitting a dataset into another group, called a class, which depends on suitable attributes. A rule-based algorithm can generate multiple splitting points of the concept [18, 19, 20]. In this algorithm, a set of rules is framed as follows:

IF < conditions > THEN < (class value) >

The algorithm is applied to each node, and if the "IF" condition is satisfied, it travels to the left side of the node, or if the "IF" condition is not satisfied, it travels to the right side of the node, or "else" the condition is counting the missing values. This rule is applied to all the attributes. Finally, it counts the class value.

A Wavelet transform is a mathematical transform that was applied in various branches of science and engineering, such as geology, signal processing, astronomy, and computer science. The wavelet transform's ability to divide the data, or functions, into discrete data elements accounts for its success. Subsequently, it examines every element independently using a matching resolution [21].

Thus, it provides more information about the data in an informative manner [22]. In recent years, many computer software packages have been easily available to perform wavelet transforms in an elegant approach. The availability of more wavelet packages has gained the most popularity among engineers.

In this paper, the Haar wavelet algorithm is applied to the MMDBM algorithm result (Refer to Tables 1-2). This proposed (MMDBM) method is the best classifier compared to 19 supervised learning techniques (Including SVM and KNN) and has a higher rate of accuracy in detecting breast cancer cases from the given datasets [13]. In a study [23], eight supervised learning methods using eight different types of databases are compared. The proposed method, the MMDBM algorithm, is accomplished with the highest accuracy rate. The proposed algorithm is more prominent and robust considering all aspects of accuracy and computational time.

The structure of this document is as follows. In Section 2, the relevant works addressed are discussed. In Section 3, MMDBM algorithms are briefly covered. In Section 4, the results of an experimental evaluation based on the MMDBM algorithm are explained, and the histogram of each distribution is computed. The conclusion is discussed in Section 5.

## 2. RELATED WORKS

The MMDBM algorithm depends on two algorithms, namely SLIQ and SPRINT. SLIQ means Supervised Learning in Quest. This algorithm was created by the IBM group under the direction of Rakesh Agrawal in the 1990s to determine processing time using both numerical and categorical variables. In addition, to determine the tree growth phase, he developed a method known as pre-sorting [17]. SPRINT is another classifier, which is a parallel algorithm developed by the same group at the end of the '90s. It is a planned classification that shows the decision-tree method's memory constraints are removed and demonstrates how quick and effective the intended algorithm is as a classifier [17, 23-25].

A new decision tree classifier known as the MMDBM algorithm handles both numerical and categorical attributes in huge datasets. This classifier can manage huge databases with a broad set of data or a huge number of binary attributes. Here, all the numerical attributes and qualifying midpoints are taken into consideration. However, this point is calculated at every level of the Gini index. Every distribution of the considered position is taken for examination in histogram estimation.

The first step is sorting the entire attribute and then taking the midpoint. This midpoint is not static due to inserting one record in this dataset. The midpoint is

automatically changed. This proposed algorithm dynamically changes the midpoint value of each execution of the program.

The following is the basic concept of the Gini-Index theory. It can be assumed that  $S$  is a collection of  $s$  samples with  $k$  distinct classes ( $C_i, i = 1, \dots, k$ ). Among the samples ( $S_i, i = 1, \dots, k$ ), there are the  $k$  subsets of  $S$ , which are partitioned based on the differences in classes. It can also be assumed that  $S_i$  is the sample set from class  $C_i$ . Thus, set  $S$ 's Gini-Index is:

$$\text{Gini}(S) = 1 - \sum_{i=0}^k p_i^2$$

Where  $P_i$  is the probability that any sample belongs to  $C_i$ , it is calculated using  $s_i/s$ . Since all of the set's members fall into the same class and  $\text{Gini}(S)$  has a minimum of 0, the greatest amount of meaningful information may be gleaned. The least amount of meaningful information may be gathered when  $\text{Gini}(S)$  is at its maximum, which happens when all of the samples in the set are distributed evenly for each class. Nevertheless, the majority of Gini-Index research has simply divided decision tree features.

This paper used 30000 records in the Heart disease dataset taken from the UCI repository. In the final phase, 9365 records are counted for patients who smoke regularly, 7134 records for those who do not smoke, 6679 documents for those who smoke tobacco, and 6822 records for missing data.

The Gini index for the overall collection of the above original dataset is:

$$\begin{aligned} \text{Gini(Overall)} &= 1 - \left(\frac{9365}{23178}\right)^2 - \left(\frac{7134}{23178}\right)^2 - \left(\frac{6679}{23178}\right)^2 \\ &= 1 - (0.40)^2 - (0.30)^2 - (0.28)^2 \\ &= 1 - 0.16 - 0.09 - 0.0830 = 0.667 \end{aligned}$$

The Gini index for the overall class is updated. Similarly, the gini index for other attributes like Sex, Age, CP, Fbs, Trestps, and Year are found using the above gini equation.

There are two sections to this algorithm. The algorithm is explained in depth in the first section using a predictive classifier, and the Java program implementation is provided in the second section on object-oriented design [1, 3]. Furthermore, to check the validity of our classifier (MMDBM), we must have a large data set from which we obtain the medical data (no specific reason for choosing the heart database) from the UCI repository.

In a study [23, 26], the time and space complexity of the MMDBM Algorithm with efficient parallel quick sort and radix sort algorithms in GPU are discussed, which results from the Comparison of computational acceleration ratio (speed-up) and efficiency of processing time of CPU and GPU computing in MMDBM Classifier. The main results are used to compare the classifier with an existing CPU- quick sort and radix sort for the MMDBM classifier

and GPU- quick sort and radix sort algorithms provide rapid and exact results with minimum execution time and support real-time applications.

## 2.1. MMDBM Algorithm

In this section, we briefly outline the algorithm procedure to classify the node values for any database. Let us consider a database consisting of 'n' attributes, and it is denoted as  $\{a_1, a_2, \dots, a_n\}$ , which acts as the Input of our algorithm. The output of the algorithm is node count as well as the construction of the decision tree. Let us explain the algorithm using a step-by-step procedure.

1. Extract all the attribute values from the database
2. Change sex from a categorical attribute to a numerical value attribute. Assign the numerical value for the male as zero and the female as 1. However, in our data, we have two generics to analyze the date we are assigning the numbers 0 for female and 1 for male for checking the IF conditions.
3. Arrange the input values using the quick sort algorithm. For taking the midpoint value of all attributes such as Sex, Age, Cp, Fbs, Trestbps, and Year. We are sorting all the data.

4. Obtain the midpoint value of every attribute.

5. The attribute name is denoted as  $a_i$ , represents an attribute,  $v_i$  represents the middle value of an attribute, and assigns the value as C as zero in the class value and M value as zero in the missing value. Iterate the above procedure

For  $I = 1$  To  $N$  // where "N" denotes all the attribute nodes

Examine the attribute of all cases from the database

IF  $a_i \leq v_i$  Condition satisfied it goes to the left end of the child node and scans all the nodes.

IF  $(a_1 \leq v_1)$  AND  $(a_2 \leq v_2)$  AND..... AND  $(a_n \leq v_n)$  THEN C

The above condition satisfies the count of the class value of each step

If the same value exists after performing the above operations, then update the appropriate class count value by assigning

$C = C + 1$

Otherwise

IF  $a_i \leq v_i$  is not satisfied, it automatically goes to the right end of the node and then scans all the nodes. Now, once again count the class value, if the same value exists, then update the class value as follows.

$C = C + 1$

Otherwise

Count the missing value and then update as follows.

$M = M + 1$

and stop the iteration.

Get all result node values list class values from the database and place it in the appropriate count value.

**Table 1. Predicted rule for medical database in BP.**

N1	sex=M Node goto N2 else N3	N23	Trestbps<=4 Node goto N46 else N47	N45	Year<=4 Node goto N90 else N91
N2	Age<=35 Node goto N4 else N5	N24	Trestbps<=4 Node goto N48 else N49	N46	Year<=4 Node goto N92 else N93
N3	Age<=35 Node goto N6 else N7	N25	Trestbps<=4 Node goto N50 else N51	N47	Year<=4 Node goto N94 else N95
N4	CP<=48 Node goto N8 else N9	N26	Trestbps<=4 Node goto N52 else N53	N48	Year<=4 Node goto N96 else N97
N5	CP<=48 Node goto N10 else N11	N27	Trestbps<=4 Node goto N54 else N55	N49	Year<=4 Node goto N98 else N99
N6	CP<=48 Node goto N12 else N13	N28	Trestbps<=4 Node goto N56 else N57	N50	Year<=4 Node goto N100 else N101
N7	CP<=48 Node goto N14 else N15	N29	Trestbps<=4 Node goto N58 else N59	N51	Year<=4 Node goto N102 else N103
N8	Fbs<=4 Node goto N16 else N17	N30	Trestbps<=4 Node goto N60 else N61	N52	Year<=4 Node goto N104 else N105
N9	Fbs<=4 Node goto N18 else N19	N31	Trestbps<=4 Node goto N62 else N63	N53	Year<=4 Node goto N106 else N107
N10	Fbs<=4 Node goto N20 else N21	N32	Year<=4 Node goto N64 else N65	N54	Year<=4 Node goto N108 else N109
N11	Sport<=4 Node goto N22 else N23	N33	Year<=4 Node goto N66 else N67	N55	Year<=4 Node goto N110 else N111
N12	Fbs<=4 Node goto N24 else N25	N34	Year<=4 Node goto N68 else N69	N56	Year<=4 Node goto N112 else N113
N13	Fbs<=4 Node goto N26 else N27	N35	Year<=4 Node goto N70 else N71	N57	Year<=4 Node goto N114 else N115
N14	Fbs<=4 Node goto N28 else N29	N36	Year<=4 Node goto N72 else N73	N58	Year<=4 Node goto N116 else N117
N15	Fbs<=4 Node goto N30 else N31	N37	Year<=4 Node goto N74 else N75	N59	Year<=4 Node goto N118 else N119
N16	Trestbps<=4 Node goto N32 else N33	N38	Year<=4 Node goto N76 else N77	N60	Year<=4 Node goto N120 else N121
N17	Trestbps<=4 Node goto N34 else N35	N39	Year<=4 Node goto N78 else N79	N61	Year<=4 Node goto N122 else N123
N18	Trestbps<=4 Node goto N36 else N37	N40	Year<=4 Node goto N80 else N81	N62	Year<=4 Node goto N124 else N125
N19	Trestbps<=4 Node goto N38 else N39	N41	Year<=4 Node goto N82 else N83	N63	Year<=4 Node goto N126 else N127
N20	Trestbps<=4 Node goto N40 else N41	N42	Year<=4 Node goto N84 else N85	N64	Terminated 100% with S
N21	Trestbps<=4 Node goto N42 else N43	N43	Year<=4 Node goto N86 else N87	N65	Terminated 100% with NS
N22	Trestbps<=4 Node goto N44 else N45	N44	Year<=4 Node goto N88 else N89	N66	Terminated 100% with ST

### 2.2. Best-Split point Method

Every node has a split point applied to it by computing the matching middle values. It analyzes every feature of every record in the data sets. Utilizing the conditional relation, categorize the node as follows:

*IF* ( $a_1 \leq v_1$ ) *AND* ( $a_2 \leq v_2$ ) *AND*..... *AND* ( $a_n \leq v_n$ ) *THEN* C (class value) rule [5, 17] as shown in Table 1.

A series of conditions are contained in the If Conditions, Then Class rule antecedent (IF portion), which is typically joined by the logical conjunction operator (AND) [2, 7, 17]. Fig. (1) will be used to refer to each rule that is conducted.

1. This rule goes to the left-end side of another node called age if (Sex == F (or) M) is satisfied; if not, it automatically moves to the right-end side of that node. The age node's midpoint value determines the next splitting point.

2. The next splitting point is based on the mid-point value of CP. If the rule is satisfied (Sex= =M (or) F and Age  $\leq$  (or)  $>$  mid-point value), it goes to the left-end node; if it is not satisfied, it goes to the right end of another node called weight.

3. This rule is false; it travels to the right-end side of another node called FBS, and it is satisfied if (Sex == M (or) F AND Age  $\leq$  (or)  $>$  mid-point value AND CP  $\leq$  (or)  $>$  mid-point value). Based on the FBS midpoint value, the next splitting point is determined.

4. The next dividing point is based on the mid-point value of Trestbps. If the condition (Sex == M (or) F AND Age  $\leq$  (or)  $>$  mid-point value AND CP  $\leq$  (or)  $>$  mid-point value AND FBS  $\leq$  (or)  $>$  mid-point value) occurs, the rule is

true and it goes to the left-end node. If the condition is satisfied, it travels to the right end of another node.

5. The next splitting point is based on the mid-point value of Years if (Sex == M (or) F AND Age  $\leq$  (or)  $>$  mid-point value AND CP  $\leq$  (or)  $>$  mid-point value AND Fbs  $\leq$  (or)  $>$  mid-point value AND Trestbps  $\leq$  (or)  $>$  mid-point value) is true. This rule goes to the left end of the node. The rule is false. It goes to the right end of another node year.

6. The next splitting point is based on the mid-point value of Years if (Sex == M (or) F AND Age  $\leq$  (or)  $>$  mid-point value AND CP  $\leq$  (or)  $>$  mid-point value AND Fbs  $\leq$  (or)  $>$  mid-point value AND Trestbps  $\leq$  (or)  $>$  mid-point value) is true. This rule goes to the left end of the node. The rule is false. It goes to the right end of another node year.

7. Update the class value once all operations have been completed. The count value is updated if the same value is present; if not, the missing count is updated, and so on. Based on the anticipated principles, the node count distribution is assessed (Fig. 1). Utilizing a decision tree built from the database, the classification nodes' histogram is computed.

### 3. METHODOLOGY

Moreover, To test the robustness of our classification algorithm, we studied from the medical database where the risk person affected by Heart disease has the habit of smoking, non-smoking, and smoking with tobacco data obtained from the UCI repository. The distribution of the node count value is based on the predicted rules obtained from the database, as represented in Fig. (1). The data sets that hold entries for the characteristics mentioned above.






Fig. (1). Distribution of the node count values.

This algorithm uses two categorical attributes, 'Sex' and 'Smoking.' The 'Sex' attribute is categorized as male or female, while 'Smoking' is categorized as S-Smoking, NS-No Smoking, and ST-Smoking with Tobacco. In addition to these, five numerical attributes are considered, such as 'Age' representing the person's age, and 'Cp,' which denotes the chest pain type. It assigns Value 1 for typical angina, Value 2- for typical angina, and Fbs denotes the Fasting blood sugar. If Fb >120 mg/dl, then Trestbps (resting blood pressure in mm Hg at hospital admission) and Year (total number of years smoked) are 1=true; 0 is false.

We have used 30000 records in the Heart disease dataset from the UCI repository. The proposed MMDM algorithm checks the condition from the root node to the terminal node, which is called one distribution. If any one of the values is missing from this distribution, it is considered as one missing value, and again, the missing value is repeated in the same distribution. Then, the missing count value is updated as M=M+1. The code has already been created for those missing values in our data pre-processing, as mentioned in section 2.1. In our MMDM algorithm, there is no need to classify those missing values (in the cell), outliers, or feature selection.

Thus, under the above assumptions. We classified all the attributes where 23 different distributions of the nodes were noted and more than 30,000 records of patients with Heart disease problems were analyzed. Finally, it counts the number of patients with the habit of smoking data - 9365 records, No Smoking- 7134 records, Smoking with Tobacco- 6679 records, and missing data-6822 records. Each distribution has been produced by various IF < condition >, followed by the Then rule.

This rule is dynamically constructed based on the predicted rule of the class count values. The traveled path and node count distributions are determined, and they are shown in Fig. (2) and Table 1.

Additionally, to categorize all the attributes, a classification tree is ultimately built. As a result, we can obtain the traveling path and distribution of 23 node count values for each of the 30,000 examples (see Table 2).

Wavelet means a small function with finite compact support denoted by the symbol  $\psi(x) \in L^2(R)$  whose translations and dilation  $2^{j/2} \psi(2^j x - k), j, k \in Z$  form an unconditional basis [27]. The wavelet can break down a piece of data into many smaller parts without changing the information contained in the original data since it forms an unconditional basis. Thus, each piece of data that contains

complicated information can be represented in a simple form by using wavelet transform. In data mining processes, discrete wavelet transform (DWT), which is predicated on the Multiresolution Analysis (MRA) tool, is

the key concept. The multiresolution analysis is Hilbert Space decomposition.  $L^2(\mathbb{R})$  on a series of closed subspaces  $\{V_j\}_{j \in \mathbb{Z}}$  such that it satisfies the following mathematical properties [28-30].

Fig. (2). Classification tree in heart disease database.

Table 2. Classified data from 30,000 recodes.

Classified Node Values					Class Count for Smoking, No Smoking, Smoking with Tobacco		
					Smoking	No Smoking	Smoking with Tobacco
2	4	8	16	32	554	356	289
2	4	8	16	33	645	386	345
2	4	8	17	35	302	153	178
2	4	9	18	36	232	187	231
2	4	9	18	37	543	455	351
2	4	9	19	38	150	190	267
2	4	9	19	39	387	256	375
2	5	10	20	40	576	261	193
2	5	10	21	43	260	251	226
2	5	11	22	44	613	380	336
2	5	11	23	47	302	366	208
3	6	12	24	48	529	233	154
3	6	12	25	50	345	398	456
3	6	12	25	51	456	183	302
3	6	13	26	52	182	492	673
3	6	13	26	53	479	397	197
3	6	13	27	54	370	267	189
3	6	13	27	55	341	578	253
3	7	14	28	56	276	397	204

Classified Node Values					Class Count for Smoking, No Smoking, Smoking with Tobacco		
					Smoking	No Smoking	Smoking with Tobacco
3	7	14	29	59	576	384	578
3	7	15	30	60	565	212	258
3	7	15	31	62	222	199	258
3	7	15	31	63	460	153	158

i) Each Closed Subspace is contained in one another.  
 ii) The union of Closed Subspace is equal to the original space.

iii) The closed subspace forms a Reisz basis for  $L^2(\mathbb{R})$ .

The consequences of the MRA is that it decomposes the Hilbert space as,  $L_2(\mathbb{R}) = V_j \oplus \sum_{j=-\infty}^j W_j$  and another one,  $j \rightarrow \infty L_2(\mathbb{R}) = \oplus_{j=-\infty}^{\infty} W_j$ .

Thus, any data can be split as an orthogonal sum of the

scaling function at the  $J$  level and as a wavelet function. The rapid discrete wavelet transform algorithm is the direct use of multiresolution analysis in data mining. The goal is to maintain detail while following an iterative process to make the data smooth. Which is to analyze projections of  $f$  to  $W_j$ .

We use the Haar wavelet transforms algorithm to improve the data after it has been classified. The basic concept is to use the one-dimensional discrete Haar wavelet transform shown in Fig. (3) to classify the original data into different levels.




Fig. (3). Process flow of wavelet transform.

### 4. RESULT AND DISCUSSIONS

Consider the discrete data obtained after applying the MMDBM algorithm. Represent the data as  $d^1 = (d_1, d_2, d_3, \dots, d_N)$ , where  $N$  is the positive even integer. Haar transform splits the discrete data into two sub-data of half its length. The first sub-data represents an average, which contains the approximate information of the input data, and another sub-data represents a difference average, which contains the detailed information of the input data.

The first average of sub-data,  $d^1 = (d_1, d_1, \dots, d_{N/2})$ , for the data  $d$  is calculated by taking the mean value. Its initial value,  $d_1$ , is calculated by fetching the mean of the initial pair of values  $d$ :  $(d_1 + d_2)/2$ . Likewise, its next value  $d_2$  is calculated by fetching the mean of the next pair, which is  $d_2 = (d_3 + d_4)/2$ . Following this procedure, each value of  $d^1$  is generated by using a series of consecutive input data value pairs. The particular formula for  $d^1$  is  $d_m = (d_{2m-1} + d_{2m})/2$  where  $m = 1, 2, 3, \dots, N/2$  correspondingly, another sub-data known as difference average denoted as  $e^1 = (e_1, e_2, e_3, \dots, e_{N/2})$  is computed by taking the difference average. This is how it can be computed as a difference. Its initial value,  $e_1$  is determined by dividing the difference between the first two values of  $d$  by half. that is  $e_1 = (d_3 - d_4)/2$ .

Likewise  $e_2$  is computed by the second pair as  $e_2 = (d_3 - d_4)/2$

**Table 3. Level -1.**

Approximation Information	Detailed Information
3 = (2+4)/2	-1 = (2-4)/2
14 = (9+19)/2	-5 = (9-19)/2
94 = (38+150)/2	-56 = (38-150)/2
228.5 = (190+267)/2	-38.5 = (190-267)/2

Continuing in this process, all the values  $e^1$  are calculated, permitting the resulting general formula  $e_m = (d_{2m-1} - d_{2m})/2$  where  $m = 1, 2, 3, \dots, N/2$ .

For example, consider the data obtained after applying

**Table 6. Output of the wavelet transform.**

O/P Wavelet Transform							
84.5	-76.3	-5.5	-67.2	-1	-5	-56	-38.5
89.8	-81.2	-5.2	-37.5	-1	-4.5	-98	-22
126.1	-114.8	-6.7	47.5	-1.5	-6	-240.5	39.5
128.2	-220.5	-8	-67.2	-2	-7	-110	96.5
157.6	-150.1	-4.5	-14.7	-1	-4	-261	33.5
116.1	-103.8	-7.7	-8	-1.5	-7	-154	39
173	-161	-7.5	-217	-1.5	-6.5	-6.5	-90.5
145.6	-132.1	-8.7	43.7	-2	-7.5	-252.5	-22
176.6	-166.6	-13	-14.7	-1.5	-5.5	-284.5	22
99.6	-85.6	-9	-43.2	-2	-8	-80	-29.5
138.3	-129.1	-5.7	40.5	-1.5	-5	-268	34
146.7	-134.7	-7.5	-15.5	-1.5	-6.5	-213	100
205.7	-192.3	-8.2	-80.2	-2	-7.5	-258.5	-94.5

the MMDBM algorithm in Table 2 as  $a = (2, 4, 9, 19, 38, 150, 190, 267)$ . The Level-1 Haar wavelet transform is obtained by following the aforementioned approach as  $(a^1|d^1)$ , where  $d^1 = (3, 14, 94, 228.5)$  and  $e^1 = (-1, -5, -56, -38.5)$ , which is explained in the table below (Table 3).

After obtaining the Level-1 of Haar discrete wavelet transform, it is easy to obtain the Level-2 transform. Level-2 Haar wavelet transform can be obtained from Level-1 as follows. The second level average  $d^2$  and difference  $e^2$  is obtained from the approximation of the first Level  $d^1$ . The approximation information is considered:  $d^1 = [3, 14, 94, 228.5]$  obtained from Level-1 as initial data for Level 2. Applying the same procedure described above, we obtained  $d^2 = [8.5, 161.25]$  and  $e^2 = [-5.5, -67.25]$  (Table 4).

**Table 4. Level -2.**

Approximation Information	Detailed Information
8.5 = (3+14)/2	-5.5 = (3-14)/2
161.25 = (94+228.5)/2	-67.25 = (94-228.5)/2

Thus Level-2 Haar wavelet transform of input data  $f = (d^2|e^2|d^1) = (8.5, 161.25 | -5.5, -67.25 | -1, -5, -56, -38.5)$ . Similarly, Level-3 Haar wavelet transform can be obtained from Level-2 as follows. The third level average  $d^3$  and difference average  $e^3$  are obtained from the approximation of the second level  $d^2$ .

Thus Level-3 Haar wavelet transform of input  $f = (d^3|e^3|d^2|d^1) = (84.87 | -76.37 | -5.5, -67.25 | -1, -5, -56, -38.5)$  (Table 5).

**Table 5. Level 3.**

Approximation Information	Detailed Information
84.87 = (8.5+161.25)/2	-76.37 = (8.5-161.25)/2

Thus the initial classified data (2, 4, 9, 19, 38, 150, 190, 267) is changed into another data using wavelet transform as (84.5, -76.37, -5.5, -67.25, -1, -5, -56, -38.5). Thus, we applied wavelet transform for all the classified data in Table 2, and the output is shown in Table 6.



O/P Wavelet Transform							
102.2	-92.7	-6	-43.5	-1.5	-5.5	-108.5	12.5
93.3	-79.3	-9	88.7	-2	-8	-198.5	-2.5
136.3	-127.8	-5.5	-51.2	-1	-5	-174	-59.8
120.5	-110.2	-6.7	-56.2	-1.5	-6	-127.5	79
159.2	-147.5	-7.2	-108.7	-1.5	-6	-143	162.5
177.3	-169.1	-5.2	-56.5	-1	-4.5	-253	52
87.3	-79.6	-4.7	1.5	-1	-4.5	-133.5	-12.5
79.7	-68.2	-7	-94.5	-1.5	-6.5	-202.5	-59.5
161.8	-150.3	-7	-114.7	-1.5	-6.5	-147.5	-29
181.2	-173.2	-4	-15.5	-1	-4	-306	16

## CONCLUSION

In this paper, the researchers presented a novel data categorization algorithm based on Mixed Mode Database Miner (MMDBM). This algorithm is based on a decision tree classifier and tested on a heart disease database. MMDBM is applied to classify a large amount of data sets with both numerical and categorical attributes. Thus, an array is used to hold classified data. The data are compressed with the help of a one-dimensional wavelet transform. Moreover, by utilizing one of the properties of wavelet, the data are represented differently without affecting the dimensionality of the data. The experimental results are compared with the classified data to wavelet data output. These results prove that our presented technique is more prominent and robust in the analysis of heart diseases. This is one of the new approaches applied to classified data in real-time applications.

## AUTHORS' CONTRIBUTION

It is hereby acknowledged that all authors have accepted responsibility for the manuscript's content and consented to its submission. They have meticulously reviewed all results and unanimously approved the final version of the manuscript.

## LIST OF ABBREVIATIONS

SVMs	=	Support Vector Machine
MRA	=	Multiresolution Analysis
DWT	=	Discrete Wavelet Transform

## ETHICS APPROVAL AND CONSENT TO PARTICIPATE

Not applicable.

## HUMAN AND ANIMAL RIGHTS

Not applicable.

## CONSENT FOR PUBLICATION

Not applicable.

## AVAILABILITY OF DATA AND MATERIAL

All data generated or analyzed during this study are included in this published article.

## FUNDING

None.

## CONFLICT OF INTEREST

The authors declare no conflict of interest, financial or otherwise.

## ACKNOWLEDGEMENTS

Declared none.

## REFERENCES

- [1] Ganesan P, Sivakumar S, Sundar S. Comparative study on MMDBM Classifier incorporating various sorting procedure. *Indian J Sci Technol* 2015; 8(9): 868-74. <http://dx.doi.org/10.17485/ijst/2015/v8i9/53064>
- [2] Gárate-Escamila AK, Hajjam El Hassani A, Andrés E. Classification models for heart disease prediction using feature selection and PCA. *Inform Med Unlocked* 2020; 19: 100330. <http://dx.doi.org/10.1016/j.imu.2020.100330>
- [3] Sundar S, Srikanth D, Shanmugam MS. A new predictive classifier for improved performance In data mining: object-oriented design and implementation Proceedings of the International Conference on Industrial Mathematics. 2006, IIT Bombay, Narosa, pp. 491-514.
- [4] Jamshidi M, Lalbakhsh A, Talla J, *et al.* Artificial intelligence and COVID-19: deep learning approaches for diagnosis and treatment. *IEEE Access* 2020; 8: 109581-95. <http://dx.doi.org/10.1109/ACCESS.2020.3001973> PMID: 34192103
- [5] Mohamadou Y, Halidou A, Kapen PT. A review of mathematical modeling, artificial intelligence and datasets used in the study, prediction and management of COVID-19. *Appl Intell* 2020; 50(11): 3913-25. <http://dx.doi.org/10.1007/s10489-020-01770-9> PMID: 34764546
- [6] Ramesh TR, Lilhore UK, Simaiya PMS, Kaur A, Hamdi M. Predictive analysis of heart diseases with machine learning approaches. *Malays J Comput Sci* 2022; (Mar): 132-48.
- [7] Ripan RC, Sarker IH, Hossain SMM, *et al.* A data-driven heart disease prediction model through k-means clustering-based anomaly detection. *SN Comput Sci* 2021; 2(2): 112. <http://dx.doi.org/10.1007/s42979-021-00518-7>
- [8] Baig MM, Sivakumar S, Nayak SR. Optimizing Performance of Text Searching Using CPU and GPUs. *Advances in Intelligent Systems and Computing* 2020; 1119: 141-50. [http://dx.doi.org/10.1007/978-981-15-2414-1\\_15](http://dx.doi.org/10.1007/978-981-15-2414-1_15)
- [9] Saboor A, Usman M, Ali S, Samad A, Abrar MF, Ullah N. A method for improving prediction of human heart disease using machine learning algorithms. *Mobile Info Sys* 2022; 2022: 9. <http://dx.doi.org/10.1155/2022/1410169>
- [10] Nahar J, Imam T, Tickle KS, Chen YPP. Computational intelligence for heart disease diagnosis: A medical knowledge driven approach. *Expert Syst Appl* 2013; 40(1): 96-104. <http://dx.doi.org/10.1016/j.eswa.2012.07.032>
- [11] Alnihoud J, Mansi R. An Enhancement of Major Sorting Algorithms. *Int Arab J Inf Technol* 2010; 7(1): 55-62.
- [12] H\_ector Men\_endez., Shintaro Okazaki., and David Camacho.,

- "Combining social-based data mining Techniques to Extract collective Trends from Twitter,". *Malays J Comput Sci* 2014; 27(2): 95-111.
- [13] S S, Nayak SR, Vidyandini S, Kumar JA, Palai G. An empirical study of supervised learning methods for breast cancer diseases. *Optik (Stuttg)* 2018; 175: 105-14.  
<http://dx.doi.org/10.1016/j.ijleo.2018.08.112>
- [14] Syed MSS, Shah FA, Hussain SA, Batool S. Support Vector Machines-based Heart Disease Diagnosis using Feature Subset, Wrapping Selection, and Extraction Methods. *Comput Electr Eng* 2020; 84: 1-18.
- [15] Mienye ID, Jere N. Optimized ensemble learning approach with explainable AI for improved heart disease prediction. *Information (Basel)* 2024; 15(7): 394.  
<http://dx.doi.org/10.3390/info15070394>
- [16] Ganesan P, Sivakumar S, Sundar S. An experimental analysis of classification mining algorithm for coronary artery disease. *Int J Appl Eng Res* 2015; 10(6): 14467-77.
- [17] Bharti R, Khamparia A, Shabaz M, Dhiman G, Pande S, Singh P. Prediction of heart disease using a combination of machine learning and deep learning. *Comput Intell Neurosci* 2021; 2021(1): 8387680.  
<http://dx.doi.org/10.1155/2021/8387680> PMID: 34306056
- [18] Da'u A, Salim N. Recommendation system based on deep learning methods: a systematic review and new directions. *Artif Intell Rev* 2020; 53(4): 2709-48.  
<http://dx.doi.org/10.1007/s10462-019-09744-1>
- [19] Nasridinov A, Lee Y, Park Y-H. Decision tree construction on GPU: ubiquitous parallel computing approach. *Computing* 2014; 96(5): 403-13.  
<http://dx.doi.org/10.1007/s00607-013-0343-z>
- [20] Shao YE, Hou CD, Chiu CC. Hybrid intelligent modeling schemes for heart disease classification. *Appl Soft Comp* 2014; 14: 47-52.
- [21] Olanrewaju RF, Ibrahim SN, Asnawi AL, Altaf H. Classification of ECG signals for detection of arrhythmia and congestive heart failure based on continuous wavelet transform and deep neural networks. *Indones J Electr Eng Comput Sci* 2021; 22(3): 1520-8.  
<http://dx.doi.org/10.11591/ijeecs.v22.i3.pp1520-1528>
- [22] Daubechies I. *Ten Lectures on Wavelets*. Philadelphia: SIAM 1992.  
<http://dx.doi.org/10.1137/1.9781611970104>
- [23] Selvarasu S, Periyagounder G, Subbiah S. A MMDBM Classifier with CPU and CUDA GPU computing in various sorting procedures. *Int Arab J Inf Technol* 2017; 14(6): 897-906.
- [24] Akkaya B, Sener E, Gursu C. A comparative study of heart disease prediction using machine learning techniques. 2022 International Congress on Human-Computer Interaction, Optimization and Robotic Applications (HORA). 09-11 Jun, 2022, Ankara, Turkey, 2022, pp. 1-8.  
<http://dx.doi.org/10.1109/HORA55278.2022.9799978>
- [25] Saqlain SM, Sher M, Shah FA, et al. Fisher score and Matthews correlation coefficient-based feature subset selection for heart disease diagnosis using support vector machines. *Knowl Inf Syst* 2019; 58(1): 139-67.  
<http://dx.doi.org/10.1007/s10115-018-1185-y>
- [26] Nayak SR, Sivakumar S, Bhoi AK, Chae, Gyoo-Soo Chae., Mallick, P.K., Mixed-mode database miner classifier: Parallel computation of graphical processing unit mining. *Int J Electr Eng Educ* 2021; 60(1) (Suppl.): 2274-99.
- [27] Desanka P. *Wavelets from Math to Practice*. Springer 2010.
- [28] David F. *An Introduction to Wavelet Analysis*. Springer 2002.
- [29] Ebtehaj I, Bonakdari H, Shamshirband S, Mohammadi K. A combined support vector machine-wavelet transform model for prediction of sediment transport in sewer. *Flow Meas Instrum* 2016; 47: 19-27.  
<http://dx.doi.org/10.1016/j.flowmeasinst.2015.11.002>
- [30] Khan FH, Bashir S, Qamar U. TOM: Twitter opinion mining framework using hybrid classification scheme. *Decis Support Syst* 2014; 57: 245-57.  
<http://dx.doi.org/10.1016/j.dss.2013.09.004>